

Type GAD

直結驅動式(direct drive)

Size 100


860 R.P.M

2 blades

葉片最大調整角度

Max. pitch angle:

37°




3 blades

葉片最大調整角度

Max. pitch angle:

37°



Type GAD

直結驅動式(direct drive)

Size 100


860 R.P.M

4 blades

葉片最大調整角度

Max. pitch angle:

37°




6 blades

葉片最大調整角度

Max. pitch angle:

37°




Type GAD

直結驅動式(direct drive)

Size 125
860 R.P.M


2 blades

葉片最大調整角度
Max. pitch angle:
37°



3 blades

葉片最大調整角度
Max. pitch angle:
37°



Type GAD

直結驅動式(direct drive)

Size 125


860 R.P.M

4 blades

葉片最大調整角度

Max. pitch angle:

37°




6 blades

葉片最大調整角度

Max. pitch angle:

37°




Type GAD

直結驅動式(direct drive)

Size 35
1140 R.P.M


2 blades

葉片最大調整角度
Max. pitch angle:
37°



3 blades

葉片最大調整角度
Max. pitch angle:
37°



Type GAD

直結驅動式(direct drive)


Size 35
1140 R.P.M

4 blades

葉片最大調整角度

Max. pitch angle:

37°




6 blades

葉片最大調整角度

Max. pitch angle:

37°




Type GAD


直結驅動式(direct drive)

Size 40
1140 R.P.M

2 blades
葉片最大調整角度
Max. pitch angle:
37°



3 blades
葉片最大調整角度
Max. pitch angle:
37°




Type GAD

直結驅動式(direct drive)

Size 40
1140 R.P.M


4 blades

葉片最大調整角度
Max. pitch angle:
37°



6 blades

葉片最大調整角度
Max. pitch angle:
37°




Type GAD

直結驅動式(direct drive)

Size 50
1140 R.P.M


2 blades

葉片最大調整角度
Max. pitch angle:
37°



3 blades

葉片最大調整角度
Max. pitch angle:
37°




Type GAD

直結驅動式(direct drive)

Size 50
1140 R.P.M


4 blades

葉片最大調整角度
Max. pitch angle:
37°



6 blades

葉片最大調整角度
Max. pitch angle:
37°




Type GAD

直結驅動式(direct drive)


Size 60
1140 R.P.M

2 blades
葉片最大調整角度
Max. pitch angle:
37°



風量 Volume (CMS)

3 blades
葉片最大調整角度
Max. pitch angle:
37°



風量 Volume (CMS)


Type GAD

直結驅動式(direct drive)

Size 60
1140 R.P.M


4 blades

葉片最大調整角度
Max. pitch angle:
37°



6 blades

葉片最大調整角度
Max. pitch angle:
37°




Type GAD


直結驅動式(direct drive)

Size 70
1140 R.P.M

2 blades
葉片最大調整角度
Max. pitch angle:
37°



3 blades
葉片最大調整角度
Max. pitch angle:
37°




Type GAD

直結驅動式(direct drive)

Size 70
1140 R.P.M


4 blades

葉片最大調整角度
Max. pitch angle:
37°



6 blades

葉片最大調整角度
Max. pitch angle:
37°




Type GAD


直結驅動式(direct drive)

Size 80
1140 R.P.M

2 blades
葉片最大調整角度
Max. pitch angle:
37°



3 blades
葉片最大調整角度
Max. pitch angle:
37°




Type GAD

直結驅動式(direct drive)

Size 80
1140 R.P.M


4 blades

葉片最大調整角度
Max. pitch angle:
37°



6 blades

葉片最大調整角度
Max. pitch angle:
37°




Type GAD


直結驅動式(direct drive)

Size 100
1140 R.P.M

2 blades
葉片最大調整角度
Max. pitch angle:
37°



3 blades
葉片最大調整角度
Max. pitch angle:
37°




Type GAD

直結驅動式(direct drive)

Size 100
1140 R.P.M


4 blades

葉片最大調整角度
Max. pitch angle:
37°



6 blades

葉片最大調整角度
Max. pitch angle:
36°




Type GAD

直結驅動式(direct drive)

Size 125
1140 R.P.M


2 blades

葉片最大調整角度
Max. pitch angle:
37°



3 blades

葉片最大調整角度
Max. pitch angle:
37°




Type GAD

直結驅動式(direct drive)

Size 125
1140 R.P.M


4 blades

葉片最大調整角度
Max. pitch angle:
32°



6 blades

葉片最大調整角度
Max. pitch angle:
25°




Type GAD

直結驅動式(direct drive)

Size 35
1740 R.P.M

2 blades

葉片最大調整角度
Max. pitch angle:
37°



3 blades

葉片最大調整角度
Max. pitch angle:
37°

